

13. Avellaneda A, Isla A, Izquierdo M, editors. Malformaciones de la Unión Cráneo-Cervical (Chiari I y Siringomielia). Madrid: Consensus document. Editorial Médica A.W.W.E. S. A; 2009.
14. Klekamp J, Samii M. Syringomyelia: diagnosis and treatment springer. Heidelberg: Berlin; 2012.
15. Marés R. Aportación de la resonancia a estudio de la siringomielia. Correlaciones clínico-morfológicas y precisiones fisiopatológicas. Doctoral thesis: Autonomous University of Barcelona, Barcelona; 1988.
16. Massimi L, Della Pepa GM, Caldarelli M, Di Rocco C (2012) Abrupt clinical onset of Chiari type I/syringomyelia complex: clinical and physiopathological implications. *Neurosurg Rev* 35:321–329.
17. Ollivier D'Angers CP (1837) *Traité des maladies de la moelle épinière: contenant l'histoire anatomique, physiologique et pathologique de ce centre nerveux chez l'homme*. Mequignon-Marvis, Paris.
18. Tubbs RS, Oakes WJ, Heimburger RF. The relationship of the spinal cord to scoliosis. *J Neurosurg*. 2004;101:228–33.
19. Roth M. Idiopathic scoliosis from the point. *View of the Neuroradiologist Neuroradiology*. 1981;21:133–8.
20. Roth M. Cranio cervical growth collision: another explanation of the Arnold-Chiari malformation and of basilar impression. *Neuroradiology*. 1986;28:187–94.
21. Porter RW. Can a short spinal cord produce scoliosis? *Eur Spine J*. 2001;10:2–9.
22. Porter RW. The pathogenesis of idiopathic scoliosis: uncoupled neuro-osseous growth? *Eur Spine J*. 2001;10:473–81.
23. Dickson RA, Lawton JO, Archer IA, Butt WP. The pathogenesis of idiopathic scoliosis. Biplanar spinal asymmetry *The Journal of Bone & Joint Surgery (British Volume)*. 1984;66:8–15.
24. Chu WCW, et al. Relative shortening and functional tethering of spinal cord in adolescent scoliosis - result of an asynchronous neuro-osseous growth, summary of an electronic focus group debate of the IBSE. *Scoliosis*. 2008;3. <https://doi.org/10.1186/1748-7161-3-8>.
25. Milhorat TH, et al. Association of Chiari malformation type I and tethered cord syndrome: preliminary results of sectioning filum terminale. *Surg Neurol*. 2009;72:20–35.
26. Royo-Salvador MB. Aportación a la etiología de la siringomielia. Doctoral thesis: Autonomous University of Barcelona, Barcelona; 1992.
27. Royo-Salvador MB. Syringomyelia, scoliosis and idiopathic Arnold-Chiari malformations: a common etiology. *Rev Neurol*. 1996;24:937–59.
28. Royo-Salvador MB (1996) [Platybasia, basilar groove, odontoid process and kinking of the brainstem: a common etiology with idiopathic syringomyelia, scoliosis and Chiari malformations] *Revista de Neurología* 24:1241-1250.
29. Weyreuther M, Heyde CE, Westphal M, Zierski J, Weber U. Inflammatory conditions. In: *MRI atlas orthopedics and neurosurgery the spine*. Berlin Heidelberg: Springer; 2007. p. 143–94.
30. Testut L. *Tratado de Anatomía Humana*. Salvat Editores, Barcelona: Volume I; 1926.
31. Royo-Salvador MB, Sole-Llenas J, Domenech JM, Gonzalez-Adrio R. Results of the section of the filum terminale in 20 patients with syringomyelia, scoliosis and Chiari malformation. *Acta Neurochir*. 2005;14:515–23.
32. Royo-Salvador MB. A new surgical treatment for syringomyelia, scoliosis, Arnold-Chiari malformation, kinking of the brainstem, odontoid recess, idiopathic basilar impression and platybasia. *Rev Neurol*. 1997;25:523–30.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

